WENDAR ENTERPRISE CO., LTD.

Office Add: No. 51, Xujiang Road, Quzhou, Zhejiang, P.R. China
Factory Add:
1. Jiaodao Town, Wuyi, Jinhua City, Zhejiang, P.R. China
2. Jinsha Street, Bailongqiao Town, Wucheng District, Jinhua City Zhejiang, P.R. China
Tel: 86-570-3033091, 3033092, 3085737, 3033262, 3033098
Fax: 86-570-3089963
E-mail: sales@wendar.com.cn, wen@china-wendar.com
Http: www.china-ladder.com, www.china-wendar.com

WENDAR ENTERPRISE CO., LTD.

2019-2020

TÜVRheinland CERTIFIED
www.tuv.com
ID 1419065263

GS geprüfte Sicherheit

EN131
EN14183

BSCI
Business Social Compliance Initiative

ISO9001:2015

WENDAR ENTERPRISE CO., LTD.

COMPANY PROFILE

Wendar Enterprise Co., Ltd. founded in 2005, is specialized in manufacturing and exporting of DIY tools, Home Workshop Equipments, Garden Tools & Equipments.

We have more than 15 years experience and our main products include Ladders, Trolleys, Work Benches, Shelving & Rack, Saw horses, Ramps.

Our factory covered on 30000 m^2. We have more than 10 production lines which make the output more than 10000pcs per day. There are 180 employees & technician in our factory to assure stable quality & prompt delivery.

As one of the leading manufacture in the east of China, our company has been approved by ISO9001, ISO14001, OHSAS18001, & BSCI. Most of our products have EN131, EN14183, TUV/GS approval. We have successfully sold our products to Europe, North & South American, Australia. And have enjoyed good reputation by customers for our excellent quality, innovation & service.

Stable and fitting quality, competitive prices, punctual delivery, effective and clear communication. We hope customer can enjoy co-operation with us.

QUALITY CERTIFICATION

QUALITY CERTIFICATION

PRODUCTION



Contents

Page01-47
Ladders & Work Platforms

Page48-49
Ramp Series

Page50-59
Hand Truck Series

Page60-74
Work Benches & Storage Hooks

Page75-81
Shelving & Racks

Page82-86
Bicycle Rack Series

Page87-92
Saw Horse Series

Page93-96
Garden Care & Tools

Aluminium Step Ladder

Heavy duty design

EN 131
MAX. 150KG

- Ideal for use in the home or office - light trade tasks
- Comfortable deep serrated treads
- Strong sturdy platform
- 150kg work load capacity, comply to EN-131 standard

Aluminium Platform

LJ206C

LJ203C 3 Step Ladder | LJ204C 4 Step Ladder | LJ205C 5 Step Ladder | LJ206C 6 Step Ladder | LJ207C 7 Step Ladder



SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LJ203C	3	233mm	1235mm	410mm	1310mm	2.6kgs
LJ204C	4	233mm	1450mm	435mm	1545mm	3.0kgs
LJ205C	5	233mm	1670mm	460mm	1775mm	3.70kgs
LJ206C	6	233mm	1890mm	485mm	2010mm	4.4kgs
LJ207C	7	233mm	2105mm	510mm	2240mm	5.0kgs
LJ208C	8	233mm	2320mm	530mm	2475mm	5.6kgs

Aluminium Step Ladder

Aluminium Frame & Rungs

EN 131
MAX. 150KG

Lightweight and easy to handle platform steps that are strong and sturdy in their construction.

- Comfortable 80mm deep serrated treads
- Steel Strong sturdy platform 250mm x 250mm
- 150kg work load capacity , comply to EN-131 standard

Anti-rust Steel Platform

LJ207D

LJ208D | LJ207D | LJ206D | LJ205D | LJ204D | LJ203D



SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LJ203D	3	233mm	1235mm	410mm	1310mm	2.7kgs
LJ204D	4	233mm	1450mm	435mm	1545mm	3.1kgs
LJ205D	5	233mm	1670mm	460mm	1775mm	3.8kgs
LJ206D	6	233mm	1890mm	485mm	2010mm	4.5kgs
LJ207D	7	233mm	2105mm	510mm	2240mm	5.1kgs
LJ208D	8	233mm	2320mm	530mm	2475mm	5.7kgs

Aluminium Step Ladder

Aluminium Frame & Rungs

EN 131
MAX. 150KG

Lightweight and easy to handle platform steps that are strong and sturdy in their construction.

- Comfortable 80mm deep serrated treads
- Steel Strong sturdy platform 250mm x 250mm
- 150kg work load capacity

Integrated tool tray for nuts & bolts



Anti-rust Steel Platform

or



Aluminium Platform



LJ203CT LJ204CT LJ205CT LJ206CT LJ207CT

LJ208CT



SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LJ203CT	3	233mm	1235mm	410mm	1310mm	2.8kgs
LJ204CT	4	233mm	1450mm	435mm	1545mm	3.2kgs
LJ205CT	5	233mm	1670mm	460mm	1775mm	3.9kgs
LJ206CT	6	233mm	1890mm	485mm	2010mm	4.6kgs
LJ207CT	7	233mm	2105mm	510mm	2240mm	5.2kgs
LJ208CT	8	233mm	2320mm	530mm	2475mm	5.8kgs

Aluminium Step Ladder

Aluminium Frame & Rungs

TÜVRheinland CERTIFIED
www.tuv.com ID 1419065262

EN 131
MAX. 150KG

- Wide platform in steel and aluminium for choice .
- Platform to handrail height 60.5cm, offers more safety.
- The tool shelf is available for placing brush, screw, ruler etc.



Anti-rust Steel Platform



LJ503DR LJ504DR LJ505DR LJ207DR LJ208DR

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LJ503DR	3	233mm	1230mm	630mm	605mm	3.1kgs
LJ504DR	4	233mm	1450mm	845mm	605mm	3.7kgs
LJ505DR	5	233mm	1670mm	1065mm	605mm	4.2kgs
LJ506DR	6	233mm	1890mm	1280mm	605mm	4.9kgs
LJ207DR	7	233mm	2105mm	510mm	2240mm	5.8kgs
LJ208DR	8	233mm	2320mm	530mm	2475mm	6.5kgs

Aluminium Step Ladder

Wendar®

Aluminium Frame & Rungs

MAX. 150KG

- Wide platform in steel and aluminium for choice .
- Platform to handrail height 50cm, offers more safety.

Anti-rust Steel Platform

LJ306D



SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LJ303D	3	233mm	1130mm	410mm	1200mm	2.5kgs
LJ304D	4	233mm	1350mm	435mm	1435mm	2.9kgs
LJ305D	5	233mm	1560mm	460mm	1670mm	3.5kgs
LJ306D	6	233mm	1780mm	485mm	1900mm	4.0kgs
LJ307D	7	233mm	1995mm	510mm	2135mm	4.6kgs
LJ308D	8	233mm	2215mm	530mm	2365mm	5.1kgs

Aluminium Step Ladder

Wendar®

Aluminium Frame & Rungs

MAX. 150KG

with 120mm width big step



Anti-rust Steel Platform

or



Aluminium Platform

LJ305CL LJ306CL LJ307CL

LJ309CL

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LJ303CL	3	233mm	1130mm	410mm	1200mm	2.9kgs
LJ304CL	4	233mm	1350mm	435mm	1435mm	3.1kgs
LJ305CL	5	233mm	1560mm	460mm	1670mm	3.6kgs
LJ306CL	6	233mm	1780mm	485mm	1900mm	4.2kgs
LJ307CL	7	233mm	1995mm	510mm	2135mm	4.8kgs
LJ308CL	8	233mm	2215mm	530mm	2365mm	5.5kgs
LJ309CL	9	233mm	2430mm	550mm	2600mm	6.2kgs

Ladders & Work Platforms

Aluminium Step Ladder

Aluminium Frame & Rungs

MAX. 150KG

with 120mm width big step



Anti-rust Steel Platform

or

Aluminium Platform

LJ305DLT

LJ306DLT

LJ307DLT

LJ309DLT

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LJ303DLT	3	233mm	1130mm	410mm	1200mm	3.2kgs
LJ304DLT	4	233mm	1350mm	435mm	1435mm	3.4kgs
LJ305DLT	5	233mm	1560mm	460mm	1670mm	3.9kgs
LJ306DLT	6	233mm	1780mm	485mm	1900mm	4.5kgs
LJ307DLT	7	233mm	1995mm	510mm	2135mm	5.8kgs
LJ308DLT	8	233mm	2215mm	530mm	2365mm	5.8kgs
LJ309DLT	9	233mm	2430mm	550mm	2600mm	6.5kgs

Aluminium Step Ladder

Aluminium Frame & Rungs

MAX. 150KG

LJ-407L

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	D Size	E Size	G Size	N.W
LJ-403L	3	230mm	1230mm	660mm	430mm	1310mm	3.65kg
LJ-404L	4	230mm	1430mm	850mm	440mm	1520mm	4.15kg
LJ-405L	5	230mm	1630mm	1020mm	460mm	1770mm	4.85kg
LJ-406L	6	230mm	1880mm	1130mm	480mm	2010mm	5.75kg
LJ-407L	7	230mm	2090mm	1330mm	510mm	2245mm	6.45kg
LJ-408L	8	230mm	2290mm	1520mm	530mm	2460mm	7.10kg

Step Ladder

Aluminium Frame & Rungs

MAX. 150KG

LJ-405U

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	D Size	E Size	G Size	N.W
LJ-403U	3	233mm	1210mm	680mm	415mm	1290mm	3.5kgs
LJ-404U	4	233mm	1430mm	650mm	440mm	1530mm	4.2kgs
LJ-405U	5	233mm	1650mm	1020mm	465mm	1770mm	5.1kgs
LJ-406U	6	233mm	1870mm	1130mm	490mm	2020mm	6.9kgs
LJ-407U	7	233mm	2100mm	1340mm	510mm	2230mm	8.2kgs

Step Ladder

Aluminium Frame & Rungs

Light Duty
MAX. 150KG

EN 131
Heavy Duty
MAX. 150KG

LDA1007

LDA1006R

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size
LDA1003	2+1	280mm	760mm	405mm	580mm
LDA1004	3+1	280mm	1030mm	440mm	740mm
LDA1005	4+1	280mm	1295mm	475mm	910mm
LDA1006	5+1	280mm	1560mm	510mm	1065mm
LDA1007	6+1	280mm	1830mm	540mm	1230mm
LDA1008	7+1	280mm	2100mm	575mm	1390mm
LDA1003R	2+1	280mm	760mm	405mm	580mm
LDA1004R	3+1	280mm	1030mm	440mm	740mm
LDA1005R	4+1	280mm	1295mm	475mm	910mm
LDA1006R	5+1	280mm	1560mm	510mm	1065mm
LDA1007R	6+1	280mm	1830mm	540mm	1230mm
LDA1008R	7+1	280mm	2100mm	575mm	1390mm
LDA1009R	8+1	280mm	2365mm	610mm	1555mm
LDA1010R	9+1	280mm	2630mm	645mm	1720mm

Step Ladder

Aluminium Frame & Rungs

EN 131
Heavy Duty
MAX. 150KG

LDA1007BR

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size
LDA1003R	2+1	300mm	871mm	409mm	601mm
LDA1004R	3+1	300mm	1171mm	446mm	776mm
LDA1005R	4+1	300mm	1471mm	483mm	951mm
LDA1006R	5+1	300mm	1770mm	520mm	1127mm
LDA1007R	6+1	300mm	2070mm	557mm	1303mm
LDA1008R	7+1	300mm	2369mm	593mm	1478mm
LDA1009R	8+1	300mm	2668mm	630mm	1653mm
LDA1010R	9+1	300mm	2968mm	667mm	1828mm

Step Ladder

Light Duty
MAX. 150KG

EN 131
Heavy Duty
MAX. 150KG

LDA2007

LDA2007R

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size
LDA2003	2+1	280mm	740mm	402mm	650mm
LDA2004	3+1	280mm	1010mm	436mm	815mm
LDA2005	4+1	280mm	1275mm	470mm	980mm
LDA2006	5+1	280mm	1540mm	504mm	1140mm
LDA2007	6+1	280mm	1810mm	538mm	1305mm
LDA2008	7+1	280mm	2080mm	572mm	1470mm
LDA2009	8+1	280mm	2350mm	607mm	1630mm
LDA2010	9+1	280mm	2615mm	641mm	1790mm
LDA2003R	2+1	280mm	740mm	402mm	650mm
LDA2004R	3+1	280mm	1010mm	436mm	815mm
LDA2005R	4+1	280mm	1275mm	470mm	980mm
LDA2006R	5+1	280mm	1540mm	504mm	1140mm
LDA2007R	6+1	280mm	1810mm	538mm	1305mm
LDA2008R	7+1	280mm	2080mm	572mm	1470mm
LDA2009R	8+1	280mm	2350mm	607mm	1630mm
LDA2010R	9+1	280mm	2615mm	641mm	1790mm
LDA2011R	10+1	280mm	2880mm	675mm	1955mm
LDA2012R	11+1	280mm	3150mm	715mm	2120mm
LDA2013R	12+1	280mm	3420mm	743mm	2280mm

Step Ladder

EN 131
Heavy Duty
MAX. 150KG

LDA2007BR

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size
LDA2003BR	2+1	300mm	783mm	409mm	675mm
LDA2004BR	3+1	300mm	1070mm	445mm	851mm
LDA2005BR	4+1	300mm	1357mm	482mm	1026mm
LDA2006BR	5+1	300mm	1644mm	519mm	1201mm
LDA2007BR	6+1	300mm	1931mm	555mm	1377mm
LDA2008BR	7+1	300mm	2217mm	592mm	1552mm
LDA2009BR	8+1	300mm	2504mm	627mm	1728mm
LDA2010BR	9+1	300mm	2791mm	664mm	1903mm
LDA2011BR	10+1	300mm	3078mm	701mm	2078mm
LDA2012BR	11+1	300mm	3365mm	757mm	2254mm
LDA2013BR	12+1	300mm	3652mm	774mm	2429mm

Step Stool

Aluminium

No for use around electrieity lightweight

EN14183
MAX. 150KG

LB402 LB403 LB404

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LB402	2×2	233mm	440mm	390mm	2.2kgs
LB403	2×3	233mm	660mm	415mm	2.6kgs
LB404	2×4	233mm	880mm	440mm	2.9kgs
LB405	2×5	233mm	1100mm	460mm	3.4kgs

TÜVRheinland CERTIFIED
Type Approved
Safety
Regular Production
Surveillance
www.tuv.com
ID 1419058834

EN14183
MAX. 150KG

LB402C LB403C LB404C

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LB402C	2×2	203mm	410mm	410mm	1.9kgs
LB403C	2×3	203mm	605mm	440mm	2.7kgs
LB404C	2×4	203mm	776mm	468mm	3.8kgs

Multi-purpose Ladder

Aluminium Frame & Rungs

EN14183
MAX. 150KG

- Safe on both sides
- Non-slip steps

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LB202B	2×2	172mm	290mm	327mm	1.0kgs
LB202	2×2	235mm	455mm	390mm	1.4kgs
LB203	2×3	235mm	675mm	420mm	2.3kgs
LB204	2×4	235mm	900mm	440mm	3.0kgs
LB205	2×5	235mm	1120mm	470mm	3.5kgs

Multi-purpose Ladder

Aluminium Frame & Rungs
Steel Hinges

- Confirms to EN131 the European safety standard
- Aluminium construction with safelock steel hinges

www.tuv.com
ID 1419065263

EN 131
MAX. 150KG

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	F Size	N.W
LCG3412BR	4×3	270mm	3380mm	1660mm	915mm	340mm	910mm	800mm	12.5kgs
LCG3412R	4×3	280mm	3500mm	1720mm	945mm	340mm	940mm	800mm	12.7kgs
LCG3416BR	4×4	270mm	4460mm	2180mm	-	340mm	1180mm	800mm	14.5kgs
LCG3416R	4×4	280mm	4620mm	2250mm	-	340mm	1220mm	800mm	14.7kgs

Multi-purpose Ladder

Aluminium Frame & Rungs
Steel Hinges

EN 131
MAX. 150KG



SPECIFICATION



Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	N.W
LC3412B	4×3	270mm	3380mm	1660mm	915mm	340mm	910mm	9.6kgs
LC3412	4×3	280mm	3500mm	1720mm	945mm	340mm	940mm	10.0kgs
LC3416B	4×4	270mm	4460mm	2180mm	1220mm	340mm	1180mm	13.0kgs
LC3416	4×4	280mm	4620mm	2250mm	1240mm	340mm	1220mm	13.2kgs
LC3408Q	4×2	280mm	2380mm	1170mm	665mm	340mm	680mm	8.5kgs

Multi-purpose Ladder

Steel Frame &
Aluminium Rungs

EN 131
MAX. 150KG

- Steel construction with safelock steel hinges
- Twin stabiliser bars featuring large rubber feet
- Supplied complete with two piece steel platform
- More than 10 useful locking configurations
- Powder coated frame for different color option

SPECIFICATION



Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	N.W
LC5412B2	4×3	270mm	3370mm	1640mm	899mm	340mm	915mm	13.2kgs
LC5412B	4×3	270mm	3370mm	1640mm	899mm	340mm	915mm	13.0kgs
LC5416B	4×4	270mm	4450mm	2155mm	-	340mm	1185mm	15.6kgs

Multi-purpose Ladder

Steel Frame &
Aluminium Rungs

TÜVRheinland CERTIFIED
www.tuv.com
ID 1419065263

EN 131
MAX. 150KG

LC5412BR

Ladder Accessories

SPECIFICATION



Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	N.W
LG5412BR	4×3	270mm	3370mm	1641mm	897mm	337mm	916mm	13.5kgs

Multi-purpose Ladder

Aluminium

No for use around electrieity lightweight

MAX. 150KG

- These amazingly versatile ladders is a 3 in 1 ladder, depending on your needs with the utmost safety.
- Aluminium construction with safelock steel hinges.

LCG3420
4x5 Multi-purpose Ladder

LCG3424
4x6 Multi-purpose Ladder

SPECIFICATION



Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	N.W
LCG3420	4×5	280mm	5750mm	2790mm	-	350mm	1510mm	16.7kgs
LCG3424	4×6	280mm	6880mm	3320mm	-	350mm	1790mm	18.2kgs

Multi-purpose Ladder

Aluminium

No for use around electrieity lightweight

- These amazingly versatile ladders is a 3 in 1 ladder, depending on your needs with the utmost safety.
- Aluminium construction with safelock steel hinges.

AS/NZS 1892.1
MAX. 120KG

LC7412B-AU

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	N.W
LC7412B-AU	4×3	270mm	3470mm	1700mm	960mm	350mm	960mm	16.7kgs

Multi-purpose Ladder

EN 131
MAX. 150KG

- Confirms to EN131 the European safety standard
- Aluminium construction with safelock steel hinges
- More than 10 useful locking configurations



LM3412
Extention Step Ladder 4x3

LM3416
Extention Step Ladder 4x4

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LM3412	4×3	280mm	2690mm	1415mm	9.0kgs
LM3416	4×4	280mm	3990mm	1952mm	11.4kgs
LM3420	4×5	280mm	4150mm	2020mm	10.8kgs

Multi-purpose Ladder

Aluminium Frame & Rungs
Steel Hinges

EN 131
MAX. 150KG

Height can be adjust from
67cm to 94cm



Steel hock, coated with plastic for a good rip

Total length can be adjust from
296cm to 352cm

Height can be adjust from
146cm to 173cm

SPECIFICATION



Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LM3412BR	4×3	280mm	3520mm	1730mm	13.6kgs

Multi-purpose Ladder

Aluminium Frame & Rungs
Steel Hinges

Type Approved
Safety
Regular Production
Surveillance

www.tuv.com
ID 1419058834

EN 131
MAX. 150KG

SPECIFICATION



Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LM-303N	4×3	277mm	2356mm	898mm	831mm	10.9kgs
LM-304N	4×4	277mm	3436mm	1162mm	1164mm	13.6kgs
LM-305N	4×5	277mm	4572mm	1426mm	1498mm	16.3kgs

Ladders & Work Platforms

Multi-purpose Ladder

FIBERGLASS

EN 131
MAX. 150KG

- It is excellent for professional and DIY use, having different working configurations.Equipped with work bench in steel. It is adjustable, reaching different heights, and can be used on stairs. It can also be used as a straight ladder and as a stepladder. Very Compact.

Easily converts to:
1. Scaffolding 2. A step ladder 3. Stand-off ladder 4. Straight ladder

SPECIFICATION



Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	F Size	N.W
LCF2412	4×3	280mm	3500mm	1720mm	945mm	350mm	940mm	700mm	13.2kgs
LCF2416	4×4	280mm	4620mm	2250mm	1240mm	350mm	1220mm	700mm	15.2kgs

Ladder Accessories

LP001

Workshelf

- Material: Steel
- Power Coated
- Non-slip Surface

It fits on multipurpose aluminium ladder rung and is rated to support up to 300 pounds of anything from paint to people.



LP002

Scaffold Platform

- Material: Steel
- Non-slip Surface

The scaffold platfrom will offer yon more safety use when the ladder in scaffold work position.



LP002-1

Scaffold Platform

- Material: Steel
- Power Coated
- Non-slip Surface

The scaffold platfrom will offer yon more safety use when the l adder in scaffold work position.

LP003

LP004

LP005

Combination Ladder

Aluminium Frame & Rungs
Steel Hinges

MAX. 150KG

- This style use high quality aluminium prfofile
- It is can be used as straight ladder, step ladder extension ladder etc.
- Non-slip feet and large stabilizer

LZ3207B

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	F Size	I Size	G Size	N.W
LZ3206B	3×6	280mm	1710mm	1645mm	2450mm	1140mm	3415mm	340mm	401mm	464mm	8.1kgs
LZ3207B	3×7	280mm	1990mm	1910mm	2985mm	1320mm	4255mm	340mm	401mm	464mm	9.4kgs
LZ3208B	3×8	280mm	2270mm	2175mm	3515mm	1500mm	5095mm	340mm	401mm	464mm	10.9kgs
LZ3209B	3×9	280mm	2550mm	2440mm	4045mm	1680mm	5935mm	340mm	401mm	464mm	12.3kgs
LZ3210B	3×10	280mm	2830mm	2700mm	4310mm	1860mm	6495mm	340mm	401mm	464mm	14.1kgs
LZ3211B	3×11	280mm	3135mm	2980mm	4845mm	2060mm	7335mm	340mm	401mm	464mm	15.9kgs
LZ3212B	3×12	280mm	3415mm	3240mm	5375mm	2240mm	7615mm	340mm	401mm	464mm	17.3kgs
LZ3214B	3×14	280mm	3917mm	3775mm	5910mm	2640mm	8745mm	340mm	401mm	464mm	24kgs

Combination Ladder

Aluminium Frame & Rungs
Steel Hinges

- Conforms to EN131 the European safety standard.
- It is can be used as straight ladder, step ladder extension ladder etc.
- Non-slip feet and large stabilizer

EN 131
MAX. 150KG

1 Single section ladder
2 Dual section ladder
3 Triple section ladder

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	F Size	I Size	G Size	N.W
LZ3207R	3×7	280mm	2005mm	1910mm	2980mm	1335mm	4255mm	340mm	405mm	467mm	11.2kgs
LZ3208R	3×8	280mm	2265mm	2170mm	3510mm	1520mm	5095mm	340mm	405mm	467mm	12.6kgs
LZ3209R	3×9	280mm	2550mm	2435mm	3780mm	1705mm	5655mm	340mm	405mm	467mm	14.6kgs
LZ3210R	3×10	280mm	2830mm	2700mm	4310mm	1895mm	6500mm	340mm	405mm	467mm	17.4kgs
LZ3211R	3×11	280mm	3115mm	2970mm	4575mm	2080mm	6780mm	340mm	405mm	467mm	19.2kgs
LZ3212R	3×12	280mm	3400mm	3230mm	5100mm	2270mm	7620mm	340mm	405mm	467mm	21.6kgs
LZ3213R	3×13	280mm	3675mm	3495mm	5630mm	2460mm	8180mm	390mm	455mm	517mm	23.8kgs
LZ3214R	3×14	280mm	3955mm	3760mm	6160mm	2650mm	8740mm	390mm	455mm	517mm	25.0kgs

Combination Ladder

One Section Ladder

Aluminium Frame & Rungs

MAX. 150KG



LZ1118

It is made of anodized aluminium, which provide a durable and rus-resisant surface and is smooth to touch.



SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LZ1107	1×7	280mm	2005mm	380mm	3.0kgs
LZ1108	1×8	280mm	2285mm	380mm	3.4kgs
LZ1109	1×9	280mm	2565mm	380mm	3.7kgs
LZ1110	1×10	280mm	2845mm	380mm	4.1kgs
LZ1112	1×12	280mm	3405mm	380mm	4.9kgs
LZ1114	1×14	280mm	3965mm	380mm	5.8kgs
LZ1116	1×16	280mm	4525mm	380mm	7.0kgs
LZ1118	1×18	280mm	5085mm	380mm	8.2kgs
LZ1120	1×20	280mm	5645mm	380mm	9.5kgs

Combination Ladder

Two Section Ladder

Aluminium Frame & Rungs

MAX. 150KG

LZ2110



SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	N.W
LZ2106	2×6	280mm	1705mm	2565mm	1640mm	468mm	5.7kgs
LZ2108	2×8	280mm	2265mm	3685mm	2170mm	468mm	7.7kgs
LZ2110	2×10	280mm	2825mm	4805mm	2695mm	468mm	9.6kgs
LZ2112	2×12	280mm	3385mm	5925mm	3220mm	468mm	11.5kgs
LZ2114	2×14	280mm	3945mm	6765mm	3750mm	468mm	13.5kgs
LZ2116	2×16	280mm	4505mm	7885mm	4280mm	468mm	15.5kgs

Combination Ladder

Two Section Ladder

Aluminium Frame & Rungs

MAX. 150KG

It is made of high quality aluminium, which provides a durable and rus-resisant surface and is smooth to touch.

LZ2408



SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	N.W
LZ2408	2×8	280mm	2285mm	3685mm	430mm	7.3kgs
LZ2410	2×10	280mm	2845mm	4805mm	430mm	8.9kgs
LZ2412	2×12	280mm	3405mm	5925mm	430mm	10.3kgs
LZ2414	2×14	280mm	3965mm	6765mm	430mm	11.7kgs
LZ2416	2×16	280mm	4525mm	7885mm	430mm	14.5kgs
LZ2418	2×18	280mm	5085mm	8725mm	430mm	18.1kgs
LZ2420	2×20	280mm	5645mm	9565mm	430mm	21.5kgs

Telescopic Ladder

Aluminium

No for use around electrieity lightweight

EN 131
MAX. 150KG

- Compact design
- Faster operation
- Safety lock
- Easy carry
- Strong meachanism

LS1112
3.8m Telescopic Ladder

LS1110
3.2m Telescopic Ladder

SPECIFICATION

Item No.	No. of Step	Step Rise	Extention Height	Width	Fold Height	N.W
LS1106	6	30cm	195cm	45.5cm	61cm	4.6kgs
LS1108	8	30cm	255cm	46cm	68cm	7.4kgs
LS1110	10	30cm	315cm	47cm	74.5cm	8.6kgs
LS1112	12	30cm	375cm	48cm	81cm	10.8kgs

Telescopic Ladder

Type Approved
Safety
Regular Production
Surveillance

www.tuv.com
ID 1419058834

EN 131
MAX. 150KG

W-1026H

W-1038H

SPECIFICATION

Item No.	No. of Step	Step Rise	Extention Height	Fold Height	N.W
W-1026H	8	30cm	260cm	77cm	8.85kgs
W-1032H	10	30cm	320cm	87cm	11.65 kgs
W-1038H	12	30cm	380cm	98cm	14.5kgs

Multi-purpose Telescopic Ladder

MAX. 150KG



SPECIFICATION

Item No.	No. of Step	Step Rise	Extention Height	A Step Height	Max. Load	N.W
W-DFS-5	12	30cm	385cm	190cm	150kgs	15.5kgs

Working Platform

EN 14183
MAX. 150KG

- Light weight, esay to carry and set up. Convenient to store.
- Provides a non-slip area for standing
- Provides slip-resistance and protects floor from damage

LW302FB

Fold position

LW302B

LW3002F

LW3002C

SPECIFICATION

Item No.	Platform Size	Working Height	N.W
LW3002C	30.5×46cm	25cm	2.8kgs
LW3002F	30.5×120cm	50cm	4.8kgs
LW302	30.5×76cm	50cm	3.8kgs
LW302H	30.5×68.5cm	60cm	3.8kgs
LW302B	30.5×65cm	50cm	3.6kgs
LW302FB	30.5×60cm	48cm	4.2kgs

Working Platform

EN 14183
MAX. 150KG

LW-203Y

LW-201

LW-202

LW-203A

LW-205

SPECIFICATION

Item No.	Platform Size	Working Height	N.W
LW-203Y	30×75cm	50cm	5.6kgs
LW-201	60×60cm	50cm	6.4kgs
LW-202	30×86cm	50cm	5.5kgs
LW-203A	30×76cm	50cm	3.7kgs
LW-205	30×95cm	50cm	7.2kgs

Steel Step Ladder

Steel Frame & Step

DESIGNED FOR STABILITY AND SAFETY
- Easy carry handle
- Slip resistant steps and feet
- Oversized steps for more comfortable use

EN 14183
MAX. 150KG

Frame: Square tube

LF202

LF203

LF204

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	F Size	G Size	N.W
LF202	2	250mm	790mm	450mm	340mm	490mm	450mm	44mm	870mm	4.0kgs
LF203	3	250mm	1015mm	675mm	340mm	665mm	450mm	45mm	1120mm	5.6kgs
LF204	4	250mm	1240mm	900mm	340mm	840mm	450mm	48mm	1370mm	7.1kgs

Color available

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	F Size	G Size	N.W
LF202B	2	250mm	790mm	450mm	340mm	490mm	450mm	44mm	870mm	4.1kgs
LF203B	3	250mm	1015mm	675mm	340mm	665mm	450mm	45mm	1120mm	5.7kgs
LF204B	4	250mm	1240mm	900mm	340mm	840mm	450mm	48mm	1370mm	7.2kgs

EN 14183
MAX. 150KG

LY001

LY002

SPECIFICATION

Item No.	Steps	Base Width	Height	N.W
LY001	1	437mm	237mm	2.1kgs
LY002	2	437mm	427mm	4.0kgs

Steel Step Ladder

EN 14183
MAX. 150KG

LY102S

LY102

LY103

LY1002

LY1003

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LY102S	2	260mm	675mm	430mm	4.15kgs
LY102	2	260mm	675mm	474mm	5.0kgs
LY103	3	260mm	910mm	480mm	6.8kgs
LY104	4	260mm	1150mm	480mm	9.4kgs
LY1002	2	260mm	1005mm	475mm	6.2kgs
LY1003	3	260mm	1240mm	480mm	8.0kgs

EN 14183
MAX. 150KG

LY302

LY303

LY304

LY305

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LY302	2	260mm	890mm	474mm	5.2kgs
LY303	3	260mm	1130mm	480mm	7.0kgs
LY304	4	260mm	1360mm	486mm	9.6kgs
LY305	5	260mm	1600mm	490mm	11.5kgs

Steel Step Ladder

EN 14183
MAX. 150KG

4 Step Ladder with Hand Rail

LY502

LY503

LY304C

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LY502	2	260mm	1070mm	475mm	5.5kgs
LY503	3	260mm	1310mm	480mm	7.3kgs
LY504	4	260mm	1550mm	485mm	9.9kgs
LY304C	4	260mm	1550mm	489mm	10.8kgs

EN 14183
MAX. 150KG

LY602S

LY602

LY603

LY604

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size	N.W
LY602S	2	260mm	890mm	430mm	4.28kgs
LY602	2	260mm	890mm	474mm	5.2kgs
LY603	3	260mm	1130mm	480mm	7.0kgs
LY604	4	260mm	1375mm	486mm	9.6kgs
LY605	5	260mm	1615mm	492mm	11.5kgs

Fiberglass Ladder

FIBERGLASS

EN 131
MAX. 150KG

Conforms to EN131 the European safety standard.

Color available

The tool shelf for placing screwdriver, knife, ruler, screws etc.

LDF1005R

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size
LDF1003R	2+1	280mm	760mm	405mm
LDF1004R	3+1	280mm	1030mm	440mm
LDF1005R	4+1	280mm	1300mm	475mm
LDF1006R	5+1	280mm	1560mm	510mm
LDF1007R	6+1	280mm	1830mm	540mm
LDF1008R	7+1	280mm	2100mm	575mm
LDF1009R	8+1	280mm	2360mm	610mm
LDF1010R	9+1	280mm	2630mm	645mm

Item No.	No. Of Step	Step Rise	A Size	B Size
LDF1003BR	2+1	300mm	871mm	409mm
LDF1004BR	3+1	300mm	1171mm	446mm
LDF1005BR	4+1	300mm	1471mm	483mm
LDF1006BR	5+1	300mm	1770mm	520mm
LDF1007BR	6+1	300mm	2070mm	557mm
LDF1008BR	7+1	300mm	2369mm	593mm
LDF1009BR	8+1	300mm	2668mm	630mm
LDF1010BR	9+1	300mm	2968mm	667mm

Fiberglass Ladder

FIBERGLASS

EN 131
MAX. 150KG

LDF2006R

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size
LDF2003R	2+1	280mm	740mm	410mm
LDF2004R	3+1	280mm	1010mm	445mm
LDF2005R	4+1	280mm	1275mm	475mm
LDF2006R	5+1	280mm	1540mm	510mm
LDF2007R	6+1	280mm	1810mm	545mm
LDF2008R	7+1	280mm	2080mm	580mm
LDF2009R	8+1	280mm	2345mm	610mm
LDF2010R	9+1	280mm	2615mm	645mm
LDF2011R	10+1	280mm	2880mm	680mm
LDF2012R	11+1	280mm	3150mm	715mm
LDF2013R	12+1	280mm	3420mm	750mm

Item No.	No. Of Step	Step Rise	A Size	B Size
LDF2003BR	2+1	300mm	783mm	410mm
LDF2004BR	3+1	300mm	1070mm	445mm
LDF2005BR	4+1	300mm	1357mm	480mm
LDF2006BR	5+1	300mm	1644mm	520mm
LDF2007BR	6+1	300mm	1931mm	555mm
LDF2008BR	7+1	300mm	2217mm	590mm
LDF2009BR	8+1	300mm	2504mm	620mm
LDF2010BR	9+1	300mm	2791mm	665mm
LDF2011BR	10+1	300mm	3078mm	700mm
LDF2012BR	11+1	300mm	3365mm	740mm
LDF2013BR	12+1	300mm	3652mm	775mm

Fiberglass Ladder

MAX. 150KG FIBERGLASS

LZF1008

LZF2406

SPECIFICATION

Item No.	No. Of Step	Step Rise	A Size	B Size
LZF1008	8	280mm	2280mm	380mm
LZF1010	10	280mm	2840mm	380mm
LZF1012	12	280mm	3400mm	380mm
LZF1014	14	280mm	3960mm	380mm
LZF1016	16	280mm	4520mm	380mm
LZF1018	18	280mm	5080mm	380mm
LZF1020	20	280mm	5640mm	380mm



Item No.	No. Of Step	Step Rise	A Size	B Size	C Size
LZF2406	2×6	280mm	1720mm	2290mm	470mm
LZF2408	2×8	280mm	2280mm	3410mm	470mm
LZF2410	2×10	280mm	2840mm	4530mm	470mm
LZF2412	2×12	280mm	3400mm	5370mm	470mm

Fiberglass Ladder

FIBERGLASS

MAX. 150KG

LZF3206

SPECIFICATION



Item No.	No. Of Step	Step Rise	A Size	B Size	C Size	D Size	E Size	F Size	I Size	G Size
LZF3206	3×6	280mm	1730mm	1645mm	2450mm	1140mm	3420mm	334mm	402mm	470mm
LZF3207	3×7	280mm	2010mm	1910mm	2985mm	1320mm	4260mm	334mm	402mm	470mm
LZF3208	3×8	280mm	2290mm	2175mm	3515mm	1500mm	5100mm	334mm	402mm	470mm
LZF3209	3×9	280mm	2570mm	2440mm	3780mm	1680mm	5660mm	334mm	402mm	470mm
LZF3210	3×10	280mm	2850mm	2705mm	4310mm	1860mm	6500mm	334mm	402mm	470mm

Scaffolding Ladder

Aluminium Frame & Rungs

MAX. 150KG

Conforms to EN131 the European safety standard A three-section aluminium scaffold and ladder in one 2 separately usable ladder elements, 6 rungs each. 2 sturdy crosspieces on each ladder element for more stability.

Multi-Purpose 5-way Ladder / Platform

A great quality multi purpose combination ladder and work platform in one unit....complete with a safety handrail.
This unit carries the European EN131 standard with a load rating of 150kg.
Scaffold work platform as shown 1.68m overall height c/w handrail

- Stairway scaffold (ladder sections can be offset)
- Two section extension ladder extending to 2.77m
- Two section combination ladder for stair work
- Width of base stabilisers 700mm
- A quality product equally at home in the workplace, home or garden.

LE2106
Aluminium Scaffold Ladder

LE2106B
Aluminium Scaffold Ladder With Handrail

SPECIFICATION

Item No.	❶	❷	❸	Platform Size	Step Rise	Max load
LE2106	1636mm	1602mm	2771mm	1470 × 405mm	280mm	150kgs
LE2106B	1636mm	1602mm	2771mm	1470 × 405mm	280mm	150kgs

Scaffolding Ladder

Aluminium Frame & Rungs

www.tuv.com
ID 1419068568

MAX. 150KG

- Conforms to EN131 the European safety standard
  A three-section aluminium scaffold and ladder in one
  2 separately usable ladder elements, 6 rungs each.
  2 sturdy crosspieces on each ladder element for more stability.

LE1106D

LE2206CR

SPECIFICATION

Item No.	①	②	③	Platform Size	Step Rise	N.W
LE1106D	1595mm	1635mm	2707mm	1475 × 406mm	280mm	19kgs
LE2106R	1646mm	1579mm	2711mm	1470 × 405mm	270mm	17.5kgs
LE2206R	1646mm	1579mm	2711mm	1220 × 405mm	270mm	15.87kgs

Aluminium

No for use around electrieity lightweight

MAX. 150KG

- **It is fully in aluminum, light weight**

With wheels to move scaffold easily

SPECIFICATION

Item No.	Step Rise	A Size	B Size	N.W
LE2104	285mm	1200mm	880mm	13kgs

Scaffolding

SPECIFICATION

Item No.	Overall Size	Packing Size	N.W
SC-0402	1040×572×1162mm	1100×610×100mm	20.5kgs

2×

1×

4×

SPECIFICATION

Item No.	Overall Size	Packing Size	N.W
SC-6-02	1860×1160×3560mm	1915×760×145mm(SCAFFOLD) 1815×1005×90mm(GUARD RALL) 605×415×110mm(TRANGLE RACK)	151kgs

Scaffolding

6FT Steel Mobile Scaffold

- A very multi-purpose handy item
  Multi-level scaffold works great for storing and organizing many items
- Multi Uses: Bench, Platform, Cart or Storage shelf

SPECIFICATION

Item No.	Overall Size	Packing Size	N.W
SC-6-01	1870×729×710-1810mm	1900×760×150mm	57kgs

Heavy-duty
Moving Cart

Super stable
Work Table

As multi-function shelf

4FT Mobile Scaffold with 5" Caster

Item No.	Overall Size	Packing Size	N.W
SC-4-03A	1180×525×1510mm	1210×600×120mm	26kgs

ATV Ramp



CR-82001

CR-82003



Steel ATV Ramp

Item No.	Ramp Size	Load Capacity
CR-82001	1850×230×45mm	200kgs
CR-82003	1850×230×45mm	200kgs
CR-17301	1730×230×45mm	200kgs
CR-13501	1350×230×45mm	200kgs



Heavy Duty Car Ramp

Item No.	Open Size	Folding Size	Load Capacity
CR-005	1960×250×50mm	880×250×150mm	(FOLDING): 5000LBS (UNFOLDING): 1500LBS

ATV Ramp



Folding Steel Ramp

Item No.	Ramp Size	Load Capacity
CR00616	1600×225×45mm	200KGS
CR00618	1800×225×45mm	200KGS

Steel Ramp

Item No.	Ramp Size	Load Capacity
CR00115	1500×225×45MM	200KGS

Hand Trolley

HT-2022

Aluminium

Capacity 60kg

Hand Trolley

Model No. :	HT-2022
Folded Dimension:	65×480×710mm
Extended Dimension:	420×480×980mm
Plateform:	280×480mm
Wheel Diameter:	ϕ170mm
Package Dimension:	490×60×720mm
G.W/N.W :	5.0/4.2kgs
QTY:	1 PC

Capacity 100kg

Hand Trolley (Steel pipe, Aluminium Plate)

Model No. :	HT-2022A
Folded Dimension:	65×480×700mm
Extended Dimension:	420×480×980mm
Plateform:	240×480mm
Wheel Diameter:	ϕ170mm
Package Dimension:	490×60×710mm
G.W/N.W :	5/4.2kgs
QTY:	1 PC

HT-2022A

HT-2022E

Aluminium

Capacity 60kg

Hand Trolley

Model No. :	HT-2022E
Folded Dimension:	50×420×700mm
Extended Dimension:	450×420×960mm
Plateform:	295×420mm
Wheel Diameter:	ϕ150mm
Package Dimension:	430×50×710mm
G.W/N.W :	3.8/3.1kgs
QTY:	1 PC

Hand Trolley

HT-2022FK

STEEL

Capacity 70kg

Hand Trolley

Model No. :	HT-2022FK
Folded Dimension:	50×420×700mm
Extended Dimension:	425×420×980mm
Plateform:	275×420mm
Wheel Diameter:	ϕ150mm
Package Dimension:	430×50×710mm
G.W/N.W :	4.1/4.8kgs
QTY:	1 PC

STEEL

Capacity 70kg

Hand Trolley

Model No. :	HT-2022FS
Folded Dimension:	50×420×690mm
Extended Dimension:	425×420×980mm
Plateform:	275×420mm
Wheel Diameter:	ϕ150mm
Package Dimension:	430×55×700mm
G.W/N.W :	4.7/4kgs
QTY:	1 PC

HT-2022FS

HT-2022MD

Capacity 60kg

STEEL

Hand Trolley

Model No. :	HT-2022MD
Folded Dimension:	700×385×50mm
Extended Dimension:	385×375×(680-950)mm
Plateform:	240×385mm
Wheel Diameter:	ϕ130mm
Max Load:	60Kgs

Hand Trolley

HT-2022G

Aluminium

Capacity 80kg

Hand Trolley

Model No. :	HT-2022G
Folded Dimension:	65×480×780mm
Extended Dimension:	450×480×1090mm
Plateform:	280×480mm
Wheel Diameter:	ϕ170mm
Package Dimension:	490×60×790mm
G.W/N.W :	5.1/4.3kgs
QTY:	1 PC

Aluminium

Capacity 80kg

Hand Trolley

Model No. :	HT-2121G
Folded Dimension:	60×485×790mm
Extended Dimension:	450×485×1090mm
Plateform:	295×485mm
Package Dimension:	500×60×800mm
G.W/N.W :	5.4/4.4kgs
QTY:	1 PC

HT-2121G

HT-2121A

Capacity 100kg

Hand Trolley (Steel pipe, Aluminium Plate)

Model No. :	HT-2121A
Folded Dimension:	65×485×720mm
Extended Dimension:	450×485×990mm
Plateform:	295×485mm
Package Dimension:	500×60×730mm
G.W/N.W :	5.0/4.0kgs
QTY:	1 PC

Hand Trolley

HT-2022M-1

Aluminium

45kg

Hand Trolley

Model No. :	HT-2022M-1
Folded Dimension:	55×380×680mm
Extended Dimension:	345×380×960mm
Plateform:	210×380mm
Package Dimension:	400×55×690mm
G.W/N.W :	2.4/1.9kgs
QTY:	1 PC

Aluminium

45kg

Hand Trolley

Model No. :	HT-2022M
Folded Dimension:	55×380×680mm
Extended Dimension:	380×380×960mm
Plateform:	240×380mm
Wheel Diameter:	ϕ140mm
Package Dimension:	390×50×690mm
G.W/N.W :	2.6/2.1kgs
QTY:	1 PC

HT-2022M

HT-2022MGS

45kg

Hand Trolley (Steel pipe, Aluminium Plate)

Model No. :	HT-2022MGS
Folded Dimension:	55×380×680mm
Extended Dimension:	380×380×960mm
Plateform:	240×380mm
Wheel Diameter:	ϕ140mm
Package Dimension:	390×50×690mm
G.W/N.W :	3.3/2.8kgs
QTY:	1 PC

Hand Trolley

HT-8028

70kg

Hand Trolley

Model No. :	HT-8028
Folded Dimension:	650×387×55mm
Extended Dimension:	1001×387×414mm
Load Capacity:	70kgs
Wheel Diameter:	130mm

90kg

Hand Trolley

Model No. :	HT-8040
Folded Dimension:	490×810×45mm
Extended Dimension:	1100×525×500mm
Load Capacity:	90kgs
Wheel Diameter:	170mm

HT-8040

HT-8007

Aluminium

50kg

Hand Trolley

Model No. :	HT-8007
Folded Dimension:	445×92×678mm
Extended Dimension:	435×475×1000mm
Plateform:	380×280mm
Wheel Diameter:	ϕ200mm
Package Dimension:	440×280×690mm
G.W/N.W :	15.4/14.4kgs
QTY:	4 PCS

Hand Trolley

HT-2020

90kg

Hand Trolley

Model No. :	**HT-2020**
Folded Dimension:	190×400×710mm
Extended Dimension:	420×400×1080mm
Plateform:	240×355mm
Wheel Diameter:	ϕ150mm
Package Dimension:	405×105×720mm
G.W/N.W :	6.6/5.6kgs
QTY:	1 PC

HT-2040

150kg

Hand Trolley

Model No. :	**HT-2040**
Folded Dimension:	500×420×230mm
Extended Dimension:	710×420×800mm
Plateform:	500-710×420mm
Wheel Diameter:	100mm
Package Dimension:	530×420×125mm
G.W/N.W :	7.8/6.8kgs
QTY:	1 PC

Hand Trolley

HT-614

150kg

Platform Hand Truck

Model No. :	**HT-614**
L×W×H:	740×480×830mm
Load Capacity:	150kgs
Wheel Diameter:	4"
Weight:	7.4kgs

150kg

Platform Hand Truck

Model No. :	**HT-615**
L×W×H:	740×480×830mm
Load Capacity:	150kgs
Wheel Diameter:	4"
Weight:	7.4kgs

HT-615

HT-619

250kg

Platform Hand Truck

Model No. :	**HT-619**
L×W×H:	910×610×870mm
Load Capacity:	250kgs
Wheel Diameter:	5"
Weight:	15.5kgs

Home Trolley

250kg

Home Trolley

Model No. :	HT-2301
Product Size:	57.5×29×11cm
Load Capacity:	250kgs
Wheel Diameter:	3"

400kg

Home Trolley

Model No. :	HT-2302
Product Size:	57.5×29×13cm
Load Capacity:	400kgs
Wheel Diameter:	4"

200kg

Home Trolley

Model No. :	HT-2303
Product Size:	57.5×29×8cm
Load Capacity:	200kgs
Wheel Diameter:	2"

250kg

Home Trolley

Model No. :	HT-2304
Product Size:	57.5×29×11cm
Load Capacity:	250kgs
Wheel Diameter:	3"



Home Trolley

200kg

Home Trolley

Model No. :	HT-2305
Product Size:	54×11cm
Load Capacity:	200kgs
Wheel Diameter:	3"

200kg

Home Trolley

Model No. :	HT-2306
Product Size:	57.5×29×11cm
Load Capacity:	200kgs
Wheel Diameter:	3"

200kg

Home Trolley

Model No. :	HT-2307
Product Size:	57.5×29×11cm
Load Capacity:	200kgs
Wheel Diameter:	3"

200kg

Home Trolley

Model No. :	HT-2401
Product Size:	38×11cm
Load Capacity:	200kgs
Wheel Diameter:	3"

Home Trolley

HT-2402

200kg

Home Trolley

Model No. :	**HT-2402**
Product Size:	38×11cm
Load Capacity:	200kgs
Wheel Diameter:	3"

200kg

Home Trolley

Model No. :	**HT-2403**
Product Size:	38×11cm
Load Capacity:	200kgs
Wheel Diameter:	3"

HT-2403

HT-2501

50kg

Home Trolley

Model No. :	**HT-2501**
Product Size:	30×30×7cm
Load Capacity:	50kgs
Wheel Diameter:	1.25"

50kg

Home Trolley

Model No. :	**HT-2502**
Product Size:	30×30×7cm
Load Capacity:	50kgs
Wheel Diameter:	1.25"

HT-2403

Work Table & Bench Vice

As Work bench

HMB-C-01

Toolbox for storing tools

As Trolley

Multi-purpose Work Bench with Tool Box

Model No. :	**HMB-C-01**
Overall Size:	**As Work bench:** 590×560×837mm **As Trolley:** 425×560×1230mm
Load Capacity:	**As Work bench:** 100kgs **As Trolley:** 225kgs
Weight :	14.6kgs

Looking button for transforming into the trailer

Supper permanent magnet for attracting the blade

HMB-C-02

Multi-purpose Work Bench

Model No. :	**HMB-C-02**
Overall Size:	**As Work bench:** 590×560×837mm **As Trolley:** 425×560×1230mm
Load Capacity:	**As Work bench:** 100kgs **As Trolley:** 225kgs
Weight :	15.6kgs

Work Table & Bench Vice

WB-2002

Foldable Workbench

Model No. : **WB-2002**
Overall Size : 605×640×780mm
Packing Size: 880×130×130mm
Weight : 5.5kgs

WB-2004

- Use for sawing, drilling and all kinds of wood work.
- Great for various uses
- Two piece MDF worktop

Foldable Workbench

Model No. : **WB-2004**
Overall Size : 560×620×780mm
Packing Size: 880×110×120mm
Weight : 4.4kgs

Tool Wall



BW-1001

Back Wall 3PCS

Model No. : **BW-1001**
Overall Size : 1200×20×600mm
Packing Size: 610×410×70mm
Weight : 4.8kgs



BW-1001N

3PCS Peg Boards

Model No.: **BW-1001N**
Over Size: 1200×600×20mm
Each Size: 600×400×20mm

With 4pcs long wire hooks,
4pcs short wire hooks,
9pcs red hooks

Metal Panel & Hook

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

322

320

321

324

BW-1004

Metal Panel

Model No. :	BW-1004
Size:	90×45cm

Wall Mounted Hooks

H-03

H-04


H-05

H-06

H-07

H-2048

H-08

H-11

H-18

Wall mounted storage basket

Model No. :	H12	H16	H17	H18	H19
W × D × H:	18"×12"×8"	12"× 6"×6"	12"×12"×8"	24"×12"×4"	12"×12"×4"

Work Benches & Storage Hooks

34PCS Display Board

Model No.: BW-1002
For Work Tools
Size: (each panel) 557×455×10mm
Contents:
2pcs. Peg board
4pcs. Plastic box
1pc. Wrench holder
1pc. Screwdriver bracket
1pc. Drill bracket
3pcs. Pliers holder 45×50×Φ4.8mm
2pcs. Double hook 96×Φ4.8mm
5pcs. Long hook 96×Φ4.8mm
15pcs. Short hook 45×Φ4.8mm

BW-1002

BW-1002H 25PCS Hook Sets



Model No.: BW-1002H
15PCS SHORT HOOK
5PCS LONG HOOK
2PCS DOUBLE HOOK
3PCS PLIER HOLDER

BW-1002H



96×ϕ4.8 ×2



45×50×ϕ4.8mm ×3

45×ϕ4.8 ×15



96×ϕ4.8mm ×5

7PCS Plastic Tool Holder



BW-1002P

Steel Work Table With One Drawer, With Wire Shelf



With 32pcs accessories

Model No.: WT-4801F
Overall Size: 122×56×151cm

With 32pcs accessories

WT-4801F

Without accessories

Folding Steel Work Table

WT-4800T

Model No.: WT-4800T
Overall size: 120×66×144cm approx.
Work top bench height: 87cm approx.
Work top size: 120×60cm approx.
Includes 20× assorted tool hooks
Loading Capacity: 100kg approx.

Perfect utility work bench for any garage
Compact folding design to save space
Sturdy steel construction
Tough powder coated finish
Features a tool hanging board
20 Assorted hooks
Easy to assemble

Steel Work Table with One Drawer

Sturdy steel construction

WT-4801Y

Model No.: WT-4801Y
Overall size: 122×56×151cm
Work top bench height: 90cm
Work table size: 122×56cm
Includes 20pcs assorted tool hooks
Work table load capacity: 200kgs
Wire Shelf load capacity: 100kgs
Large sliding tool drawer
Easy to assemble

WB4802

48" 2-Drawers Workench

Model No. :	**WB4802**
Descriptions:	48" Work bench with back wall
Work Top Size:	48"×24"
Weight :	33kgs

- 24"×48" large work surface
- Sturdy steel frame supports up to 600 lbs
- 2 Easy Glide Drawers
- Lower storage shelf for larger tools & supplies

WB4802-TB

48" Work Bench

Model No. :	**WB4802-TB**
Descriptions:	48" Work Bench
Work Top Size:	48"×24"
Weight :	26kgs

- 24"×48" large work surface
- Sturdy steel frame supports up to 600 lbs
- 2 Easy Glide Drawers
- Lower storage shelf for larger tools & supplies

WB4802-BW

Back Wall

Model No. :	**WB4802-BW**
Descriptions:	Back Wall
Weight :	3kgs

WT-1001A

Work Table with One Drawer

Model No. :	**WT-1001A**
Overall Size :	1200×1510×610mm
Packing Size:	1240×655×90mm
Weight :	31.5kgs

- Durable steel construction
- Full length drawer
- Easy to assemble "hook & eye" construction

Work Table with One Drawer

Model No. :	**WT-1001B**
Overall Size :	1230×640×95mm
Packing Size:	1240×655×90mm
Weight :	26.5kgs

WT-1001B

Work Table

Plenty space for tools

WT-1001S

Work Table with One Drawer

Model No. : WT-1001S
Overall Size : 900×1400×480mm
Packing Size: 1065×535×80mm
Weight : 20kgs

WT-1002A

Revit fix system is easier assembled and more durable.

Work Table with Two Drawers

Model No. : WT-1002A
Overall Size : 1200×1510×610mm
Packing Size: 1240×655×90mm
Weight : 35kgs

Work Table

WT-1002B

Large capacity storage drawer

Screw construction

Work Table with Two Drawers

Model No. : WT-1002B
Overall Size : 1200×1510×610mm
Packing Size: 1240×655×90mm
Weight : 35kgs

Work Table No Drawer

Model No.: WT-4300
Overall Size: 110×540×140cm

WT-4300

Cable Lifted Garage Rack

LR1601

Model No.: LR1601

- Roof-mounted **Lifted Garage Rack**; pulley system raises and lowers for easy access
- Lifts and stores up to 250 pounds high above garage floor without using a ladder
- Heavy-duty steel support beams
- Assembly required
- Includes support beams, 4 by 4 platform, winding axle, vinyl coated steel cable, mounting hardware
- 4-square-foot storage platform

2-Shelf Heavy-Duty Wall Storage System

Includes 2 wire grids, 4 angle brackets, 4 rubber stoppers and mounting hardware.



BW-1003

Model No.: BW-1003

15"x45"



Powder-coated steel

- For durability and easy cleaning

Fast and easy installation

- Can install stacked or side-by-side

5-Tier Boltless Shelving

5-layer Shelving Unit

Model No. :	RS-5-18105D	RS-5-1894D	RS-5-18126D
H(cm):	182	182	182
W×D(cm):	100×50	90×40	120×60
Load Capacity Per Shelf:	150kgs	150kgs	150kgs

5-layer Heavy Duty Wire Shelving

Model No. :	RSW-1894
Overall Size:	182x90x45cm
Load Capacity:	250kgs

Industrial Storage Rack

Industrial Storage Rack

Model No. :	F18196	F18126	F20125	F20206	F20155
H(cm):	183	183	200	200	200
W×D(cm):	194.5×61	126×61	120×50	200×60	150×50
Load Capacity Each Shelf:	600kgs	600kgs	500kgs	500kgs	500kgs
Color:	Black	Black	Black	Black	Black

Folding Shelving

Model No. :	R-4-3560 4 layer Folding shelving	R-3-3541 3 layer Folding shelving	R-3-2835 3 layer Folding shelving	R-3-4050 3 layer Folding shelving
Overall Size:	35"(L)x60"(H)x20"(D)	35"(L)x41"(H)x20"(D)	28"(L)x35"(H)x13"(D)	40"(L)x50"(H)x18"(D)
Weight:	15.95kgs	12.00 kgs	9.00 kgs	12.85 kgs

Choice to build a 5 level bay of shelving or split into 2 smaller benches

- 150kg/330lbs per shelf with an overall capacity of
- 750kg/1,650lbs (uniformly distributed load)

5-layer Boltless Shelving

Model No. :	RS5109
L×W×H:	72"×48"×24"
Load Capacity:	200kgs
Weight:	39kgs

5-layer Boltless Shelving

Model No. :	RS5105
L×W×H:	72"×36"×18"
Load Capacity:	200kgs
Weight:	24.5kgs

- Choice of Silver or Black powder coated finish
- 5 adjustable height shelves with 9mm chip board

5-layer Boltless Shelving

Model No. :	RS-5-1884	RS-5-18125	RS5101
L×W×H:	180×80x40cm	180×120×50cm	152×75×30cm
Load Capacity:	200kgs	200kgs	200kgs
Weight:	21kgs	33kgs	15.50kgs

5-Layer Galvanized Shelf

Model No. :	RSZ-4-18735G	RSZ-4-18940
Overall Size:	180×75×35CM	180×80×40CM
Load Capacity:	175kgs	125kgs

4-Tier Metal Shelving

Model No. :	RZ-4-373
W×D×H:	70×30×137cm
Load Capacity Per Shelf:	50kgs

5-Layer Galvanized Shelf

Model No. :	KZ-5-1373
Over Size:	137×70×30cm
Load Capacity:	50kgs & 30kgs

5 Tier Storage Rack

PS002 PS003 PS004 PS005



5 Tier Plastic Storage Rack

Model No. :	PS002	PS003	PS004	PS005
No. Of Shelf :	2	3	4	5
Overall Size(cm):	60×30×50	60×30×91	60×30×132	60×30×172
Load Capacity Per Shelf:	18kgs	18kgs	18kgs	18kgs
Weight:	2.05kgs	3.27kgs	4.5kgs	5.7kgs

Bike Rack & Stand

TOOL FREE INSTALLATION

RHL-301A

FEATURES:
This bike holder can put anywhere
Size from 68-127cm
MAX 20kgs

MATERIAL:
Pipe by aluminum, color coated on the surface.
Plastic part by PP/PA, holder by nylon

Bike Holder

Model No. :	RHL-301A
Produlit Size:	From 68-127cm
Per/Carton:	4pc
Carton Size:	82.5×29×27cm
Gross/Net:	9/8kgs
Net Weight:	2000g

RHL-001A

FEATURES:
Can be fixed from the ground to the ceiling by the telescopic function and spring design.
It can hold the bicycles(2pcs)and tyres.

MATERIAL:
Pipe by aluminum, color coated on the surface.
Plastic part by PP/PA, holder by nylon

Bike and Tyre Holder

Model No. :	RHL-001A
Produlit Size:	From 160-340cm
Per/Carton:	2pc
Carton Size:	162×13.5×27cm
Gross/Net:	12/11kgs

TOOL FREE INSTALLATION

RHL-501

FEATURES:
Material: A3 steel and nylon
Size:28x40cm

Bike Parking Stand

Model No. :	RHL-501
Tube Diameter:	1.4cm
Per/Carton:	20pc
Carton Size:	51×31×34cm
Gross/Net:	18.5/17.5kgs
Net Weight:	866g

TOOL FREE INSTALLATION



Bike Holder

Model No. :	RHL-502A	RHL-502B	RHL-502C
Size:	61mm	61mm	61mm
Per/Carton:	10pc	10pc	10pc
Carton Size:	61×37×16cm	61×37×16cm	61×37×16cm
Gross/Net:	12/11kgs	12/11kgs	12/11kgs
Net Weight:	1135g	1138g	1120g

Bike Rack & Stand

TOOL FREE INSTALLATION

RHL-503

FEATURES:
Material: Iron and soft plastic

Bike Holder

Model No. :	**RHL-503**
Tube Diameter:	2.0/2.5cm
Per/Carton:	10pc
Carton Size:	61×39.5×38.5cm
Gross/Net:	22/21kgs
Net Weight:	2164g

RHL-401

Bike Holder

Model No. :	**RHL-401**
Produlit Size:	From 118-220cm
Per/Carton:	2pc
Carton Size:	124×13.5×27cm
Gross/Net:	17/16kgs
Net Weight:	7800g

TOOL FREE INSTALLATION

RHL-309

FEATURES:
Easy installation with 2scrows against wall llack power coated and rubber coated on the hooks.

MATERIAL:
Steel

Bike Holder

Model No. :	**RHL-309**
Produlit Size:	35x25cm
Per/Carton:	25pc
Carton Size:	54×54×27cm
Gross/Net:	20/19kgs
Net Weight:	750g

TB-01A

Tyre Stand

Model No. :	**TB-01A**
Load Capacity:	70kgs
Packing Size:	10PCS/CTN
Packing:	57×38.5×34cm

TB-01S

Tyre Stand

Model No. :	**TB-01S**
Load Capacity:	100kgs
Packing Size:	6PCS/CTN
Packing:	72×22.5×22.5cm

Bike Rack & Stand

RH-2203

3 Bicycle Rack

Model No. :	**RH-2203**
Overall Size:	880×400×255mm
Weight :	4.5kgs

RH-2204

4 Bicycle Rack

Model No. :	**RH-2204**
Overall Size:	1240×400×255mm
Weight :	6kgs



RH-2205

5 Bicycle Rack

Model No. :	**RH-2205**
Overall Size:	1585×400×255mm
Weight :	7kgs



RH-2302

2 Bicycle Rack

Model No. :	**RH-2302**
Overall Size:	445×330×320mm
Weight :	6.5kgs

RH-2403

3 Bicycle Rack

Model No. :	**RH-2403**
Overall Size:	445×395×120mm
Weight :	4.1kgs

Bicycle Rack Series

Bike Rack & Stand

RH-2404

4 Bicycle Rack

Model No. : RH-2404
Overall Size: 660×120×335mm
Weight : 6kgs

RH-2405

5 Bicycle Rack

Model No. : RH-2405
Overall Size: 745×395×120mm
Weight : 7kgs



RH-2401

Bicycle Wall Straight Rack

Model No. : RH-2401
Overall Size: 265×325×415mm
Weight : 1kgs



RH-2503

3 Bicycle Rack

Model No. : RH-2503
Overall Size: 375×360×270mm
Weight : 1.1kgs

RH-2602

2 Bicycle Rack

Model No. : RH-2602
Overall Size: 410×305×125mm
Weight : 3kgs

RH-2606

6 Bicycle Rack

Model No. : RH-2606
Overall Size: 760×355×125mm
Weight : 9kgs

Bike Rack & Stand

RH-2603

3 Bicycle Rack

Model No. : RH-2603
Overall Size: 485×360×125mm
Weight : 4.5kgs

RH-2803

3 Bicycle Rack

Model No. : RH-2803
Overall Size: 685×335×95mm
Weight : 4.5kgs

RH-2905

5 Bicycle Rack

Model No. : RH-2905
Overall Size: 1440×340×270mm
Weight : 18kgs

RH-5001

Park Block

Model No. : RH-5001
Overall Size: 805×390×440mm
Weight : 4.5kgs

ST-001

Adjustable Bracket

Model No. : ST-001
Overall Size: 745×490×(740-1240)mm
Weight: 4.4kgs

ST-002

Adjustable Bracket

Model No. : ST-002
Overall Size: (720-1240)×490×(740-1245)mm
Weight: 5.5kgs(2PCS)

ST-003

Saw Bracket

Model No. : ST-003
Overall Size: 750×400×750mm
Weight: 2.2kgs

ST-004

Saw Bracket

Model No. : ST-004
Overall Size: 800×370×775mm
Weight: 3.2kgs



Adjustable Bracket

Model No. : ST-005
Overall Size: 580×40×830mm
Weight: 3.4kgs

ST-005

ST-007

Adjustable Log Holder

Model No. : ST-007
Overall Size: 310×135×(930-1530)mm
Packing Size: 890×295×125mm
Weight: 7kgs



ST-008

Log Holder

Model No. :	**ST-008**
Overall Size:	340×90×150mm
Packing Size:	350×160×300mm
Weight:	4kgs

Log Holder

Model No. :	**ST-009**
Overall Size:	1200X280X1200mm

ST-009

SH-6022

- Telescopic action with height adjusting locking bars.
- Trestles fold down neatly for safe storage.
- Maximum loading 150kg evenly distributed.

Adjustable Saw Trestle

Model No. :	**SH-6022**
Adjust Height:	800-1300mm
Load Capacity:	150kgs
Packing Size:	780×110×120mm
Weight:	5.3kgs

Bracket & Saw Horse

Saw Horse Series

SH-6022A

- Dual locking safety arms and folding support braces for rigidity when working.
- Maximum loading 200kg evenly distributed.

Adjustable Saw Trestle

Model No. :	**SH-6022A**
Adjust Height:	800-1300mm
Load Capacity:	200kgs
Packing Size:	780×110×120mm
Weight:	6.5kgs

SH-4001



- Securely locking legs for improved stability
- Folds flat for easy storage

2pcs Saw Horse

Model No. :	**SH-4001**
Open Size:	995×480×780mm
Load Capacity:	100kgs
Packing Size:	1010×120×130mm
Weight:	8.6kgs

SH-4002

- Slip resistant worktops
- An integral handle allows easy transportation

Saw Horse

Model No. :	**SH-4002**
Open Size:	995×385×790mm
Load Capacity:	100kgs
Packing Size:	1010×95×100mm
Weight:	4.3kgs



SH-4004

Adjustable Saw Horse

Model No. :	**SH-4004**
Open Size:	1000×625×900~1000×425×600mm
Load Capacity:	150kgs
Packing Size:	1010×135×140mm
Weight:	6.0kgs

SH-4007B

Saw Horse

Model No. :	**SH-4007B**
Overall Size:	780×400×740mm
Packing Size:	790×85×95mm
Weight:	4kgs

SH-5001

- It will fit most chain saws and is easy to move around as it is very light weight.
- The saw horse supports the whole weight of the chainsaw

Log Saw Horse with Chainsaw Holder

Model No. :	**SH-5001**
Length of Blade:	400mm
Max. Cutting length:	1200mm
Max. Cutting Dia.:	260mm

- Finished in a galvanized to protect against rust
- Easy to assemble
- Folds away to save space

Saw Horse

Model No. :	**SH-4009**
Open Size:	810×800×1000mm
Load Capacity:	180kgs
Packing Size:	1020×170×40mm
Weight:	7.0kgs

SH-4009

Garden Lawn Roller

GR-16001

Garden Lawn Roller

Model NO.: GR-16001
· Roller Diameter: 420mm
· Roller Width: 500mm
· Soft Grip Handle Report
· Roller Can Be Filled with Water or Sand

The Handy Standard Garden Roller can be filled with either sand or water, which provides a squashing weight of up to 65kg. This can help with drainage of water logged soil, and/or compacting top layers of soil. The roller has a width of 420mm, and the soft grip handle support helps to ensures more comfort for a more ergonomic and efficient experience.

Garden Lawn Roller

Model NO.: GR-16002
Roller Diameter: 300mm
Roller Width: 420mm
Capacity: 30 L
Weight: approx. 6.5 kg when empty.
Soft Grip Handle Report
Roller Can Be Filled with Water or Sand
Weight When Filled with Water: 37kg
Weight When Filled with Sand: 65kg

GR-16002

GR-16003

Garden Lawn Roller

Model No.:	GR-16003A	GR-16003B	GR-16003C	GR-16003D
Roller Size:	30×42cm	30×50cm	30×57cm	30×60cm
Capacity:	30L	38L	46L	48L

Reaching Tools

Heavy Duty Pick Up Tool

Model No. : TL-0802
Lenght: 87cm
Material: Aluminum tube
Dia: 24mm
Non-slipping clamping holder ergonomic handle with lock.

TL-0802

TL-0801

Pick Up Tool

Model No. : TL-0801
Lenght: 76cm
Material: Aluminum tube
Dia: 14mm
With magnet and special hook plastic handle

TZD-82

Folding Aluminium Pick Up Tool

Model No. : TZD-82
Lenght: 82cm

Reaching Tools

TL-92

AluminiumPick Up Tool

Model No. :	**TL-92**
Lenght:	92cm
Color:	Red, Blue, Black, Silver

TP-92

Steel Pick Up Tool

Model No. :	**TP-92**
Lenght:	92cm

- **Features:**
  Lenght: 92cm
  Material: Aluminum tube
  Dia: 13mm
  With magnetic plastic handle

Pick Up Tool

Model No. :	**TL-0803**
Tube Diameter:	1.3cm
Per/Carton:	12pcs
Carton Size:	93.5×18×29.5cm
G.W/N.W	3.5/2.8kgs
Net weight:	220g

TL-0803

TOOL FREE INSTALLATION

TL-0804

- **Features:**
  Length: 83cm
  Alumnium tube
  Dia: 14mm
  With magnetic
  Special hook
  Plastic handle

Pick Up Tool

Model No. :	**TL-0804**
Per/Carton:	12pcs
Carton Size:	80×21×27cm
G.W/N.W	4.5/8kgs
Net weight:	358g

Reaching Tools

TOOL FREE INSTALLATION

- **Features:**
  Lenght of 1 cr-06 71cm
  Length of 1cr-07 69.5cm tube
  Dia: 14mm
  Plastic handle

TL-0806

Pick Up Tool

Model No. :	**TL-0806**
Per/Carton:	24pcs
Carton Size:	73.5×30×39.5cm
G.W/N.W	9/6.2kgs
Net weight:	258g

TL-0807

Pick Up Tool

Model No. :	**TL-0807**
Per/Carton:	24pcs
Carton Size:	71.5×34×39cm
G.W/N.W	9/4.8kgs
Net weight:	200g

- **Features:**
  Total lenth 79cm
  Main material aluminum
  Material of plastic: PP

TL-0808

Pick Up Tool

Model No. :	**TL-0808**
Product Size:	79cm
Per/Carton:	12pcs
Carton Size:	81.5×22×33cm
G.W/N.W	4.2/3.6kgs
Net weight:	148g

GKL-05

Garden Kneeling Stool

Model No. :	**GKL-05**
Tube Diameter:	22cm
Per/Carton:	4pc
Carton Size:	61×28×50cm
Gross/Net:	11/10kgs
Net Weight:	2500g